



Cinnamic Acid Derivatized Poly(Ethylene Glycol) as a Bioinspired UV-Adaptable Material

Frankær, Sarah Maria Grundahl; Vaia, Ayelén Luna Helling Di; Daugaard, Anders Egede; Kiil, Søren; Skov, Anne Ladegaard

Publication date:
2011

[Link back to DTU Orbit](#)

Citation (APA):

Frankær, S. M. G., Vaia, A. L. H. D., Daugaard, A. E., Kiil, S., & Skov, A. L. (2011). *Cinnamic Acid Derivatized Poly(Ethylene Glycol) as a Bioinspired UV-Adaptable Material*. Abstract from Nordic Polymer Days 2011, Stockholm, Sweden.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Cinnamic Acid Derivatised Poly(Ethylene Glycol) as a Bioinspired UV-Adaptable Material

Sarah Maria Grundahl Frankær¹, Ayelén Luna Helling Di Vaia¹, Anders Egede Daugaard¹, Søren Kii² and Anne Ladegaard Skov¹

¹Danish Polymer Center, DTU Chemical Engineering, Technical University of Denmark, Søtofts Plads, Bygning 229, 2800 Kgs. Lyngby, Denmark

²CHEC Research Center, DTU Chemical Engineering, Technical University of Denmark, Søtofts Plads, Bygning 229, 2800 Kgs. Lyngby, Denmark
saf@kt.dtu.dk

The field of bioinspired materials is steadily growing and the project we are working on was inspired by the sea cucumber; a sea creature which has the ability to protect itself from enemies by going from a soft to a hard phase within seconds. From a rheological perspective this can be interpreted as an increase in the value for the elastic modulus on a very short timescale. Our approach is to use cinnamic acid (CA) derivatised polymers, which are well known for their ability to crosslink under UV-irradiation (Figure 1) and for their versatility, e. g. in preparation of UV-active “shape memory” polymers from poly(ethylene glycol) (PEG). [1]

We synthesised a CA-derivatised 4-armed PEG star ($M_n=2000$ g/mol) (PEG-CA star) and two CA-derivatised linear PEGs ($M_n=1000$ and 4000 g/mol, respectively). We investigated samples of the PEGs by rheology and thereby we found that the most significant difference in rheological properties after irradiation with UV-light were found when the PEG-CA star was used exclusively. We observed a pronounced time dependence of the reaction and this was further investigated. We found, that with the equipment at hand a stable value for the G' -value was obtained after app. 70 hours of irradiation (Figure 1), hence definitely not a fast response. On the other hand the slow response allowed us to investigate the structural development.




Figure 1: On top is the cyclobutane formation of CA-derivatives. Below is the value of the elastic modulus, G_0 , as a function of time for the PEG-CA star.

References

- [1]. A. Lendlein et al., Nature, 434, 879–882 (2005)